

TABLE OF CONTENTS: 2024 AWPB BOOK OF STANDARDS

Introduction – Page 1

Introduction.....	1
-------------------	---

Use Category System Standards – Page 7

U1-24: User Specification for Treated Wood	
1. Introduction to the Use Category System.....	7
2. Service Conditions for Use Category Designations	8
3. Guide to Treated Wood End Uses.....	12
4. Standardized Preservatives.....	17
5. Species and Species Groupings.....	19
6. Management of Used Treated Wood.....	25
Commodity Specifications	26
A. Sawn Products.....	27
B. Posts	44
C. Crossties and Switchties.....	51
D. Poles.....	53
E. Round Timber Piling.....	59
F. Pressure-Treated Wood Composites.....	61
G. Marine (Salt Water) Applications	68
H. Fire Retardants	74
I. Nonpressure Applications.....	76
J. Non-Pressure Treated Wood Composites	77
K. Barrier Protection Systems.....	78

T1-24: Processing and Treatment Standard

Introduction.....	81
1. General Requirements.....	82
2. Treatment	83
3. Results of Treatment	84
4. Preservatives	89
5. Quality Control and Inspection	89
6. Retreatment.....	89
7. Drying After Treatment.....	89
Special Requirements by Commodity.....	90
Section A: Sawn Products.....	90
Section B: Posts	96
Section C: Crossties and Switchties.....	99
Section D: Poles.....	101
Section E: Round Timber Piles.....	108
Section F: Pressure-Treated Wood Composites.....	110
Section G: Marine (Salt Water) Applications	115
Section H: Fire Retardant Treated Products	119
Section I: Millwork and Manufactured Goods.....	120
Section J: Non-Pressure Treated Wood Composites	121

Preservative/Protectant Standards – Page 125

P1/P13-24: Standard for Creosote Preservative	125
P2-24: Standard for Creosote Solution.....	126
P3-24: Standard for Creosote-Petroleum Solution	127

P20-18 (<i>Reaffirmed 2021</i>): All Barrier Protection Systems.....	128
P22-20: Standard for Ammoniacal Copper Zinc Arsenate (ACZA).....	130
P23-14 (<i>Reaffirmed 2020</i>): Standard for Chromated Copper Arsenate Type C (CCA-C).....	131
P24-19: Standard for Alkyl Ammonium Compounds, Waterborne (AAC-W)	132
P25-20: Standard for Inorganic Boron (SBX)	133
P26-20: Standard for Alkaline Copper Quat Type A (ACQ-A)	134
P27-20: Standard for Alkaline Copper Quat Type B (ACQ-B)	135
P28-20: Standard for Alkaline Copper Quat Type C (ACQ-C)	136
P29-20: Standard for Alkaline Copper Quat Type D (ACQ-D)	137
P32-24: Standard for Copper Azole Type B (CA-B).....	138
P33-18 (<i>Withdrawn 2024</i>): Standard for Copper HDO Type A (CX-A)	139
P34-20: Standard for Copper Naphthenate, Waterborne (CuN-W)	140
P35-16 (<i>Reaffirmed 2022</i>): Standard for Pentachlorophenol (PCP).....	141
P36-22: Standard for Copper Naphthenate (CuN)	142
P37-23: Standard for Oxine Copper (Copper 8-Quinolinate) (Cu8).....	143
P38-19: Standard for Alkyl Ammonium Compounds, Oilborne (AAC)	144
P39-18 (<i>Reaffirmed 2020</i>): Standard for 4,5-Dichloro-2-N-Octyl-4-Isothiazolin-3-One (DCOI).....	145
P40-19: Standard for 3-Iodo-2-Propynyl Butyl-Carbamate (IPBC).....	146
P41-14 (<i>Reaffirmed 2020</i>): Standard for Tebuconazole (TEB).....	147
P42-19: Standard for Propiconazole (PPZ).....	148
P45-20: Standard for Propiconazole Tebuconazole Imidacloprid (PTI)	149
P47-20: Standard for DCOI/Imidacloprid/Stabilizer, Waterborne (EL2)	150
P48-15 (<i>Reaffirmed 2021</i>): Standard for Copper Azole Type C (CA-C)	151

P49-15 (<i>Reaffirmed 2021</i>): Standard for Fire Retardant FR-1 (FR-1)	152	A7-22: Standard Wet Ashing Procedures for Preparing Wood for Chemical Analysis	180
P50-15 (<i>Reaffirmed 2021</i>): Standard for Fire Retardant FR-2 (FR-2)	153	A9-21: Standard Method for Analysis of Treated Wood and Treating Solutions by X-Ray Spectroscopy	182
P51-20: Standard for Zinc Borate (ZB).....	154	A12-19: Wood Densities for Preservative Retention Calculations	188
P52-15 (<i>Reaffirmed 2021</i>): Standard for IPBC-SB-1 (IPBC-SB-1).....	155	A13-23: Standard Method of Analysis for Acid Number of Naphthenic Acids in Copper Naphthenate.....	190
P53-15 (<i>Reaffirmed 2021</i>): Standard for IPBC/PPZ/TEB-SB-1 (IPBC/PPZ/TEB-SB-1)	156	A14-23: Standard Method for Determination of Water-Extractable Copper in Copper Naphthenate.....	193
P55-22: Standard for Alkaline Copper Betaine (KDS)	157	A15-19: Referee Methods.....	195
P56-22: Standard for Alkaline Copper Betaine Type B (KDS-B)	158	A16-22: Standard Method for Determination of Didecylmethyl Ammonium Compounds in Treated Wood by HPLC	196
P57-22: Standard for Alkaline Copper Betaine (KDS) (<i>nonpressure use</i>)	159	A17-15 (<i>Reaffirmed 2021</i>): Standard for Determination of Quaternary Ammonium Compounds in ACQ Solutions.....	198
P58-21: Standard for 3-Iodo-2-Propynyl Butyl Carbamate/Permethrin (IPBC/PER).....	160	A18-24: Standard for Determination of Quaternary Ammonium Compounds in Wood by 2-Phase Titration	200
P59-23: Standard for Chemically Modified Wood, Type A (CM-A).....	161	A19-19: Standard Method for Sample Preparation for Determining Penetration of Preservatives in Wood.....	202
P60-14 (<i>Reaffirmed 2020</i>): Standard for Inorganic Boron, Oilborne (SBX-O).....	162	A21-24: Standard Method for the Analysis of Wood and Wood Treating Solutions by Inductively Coupled Plasma Emission Spectrometry.....	203
P61-16 (<i>Reaffirmed 2022</i>): Standard for Micronized Copper Azole (MCA).....	163	A22-17 (<i>Reaffirmed 2023</i>): Standard Method for the Quantitative Determination of Creosote in AWWA P3 Creosote-Petroleum Oil Solutions (CPS).....	209
P62-16 (<i>Reaffirmed 2022</i>): Standard for Micronized Copper Azole Type C (MCA-C).....	164	A26-20: Standard Method for Analysis of Fire Retardant Solutions and Wood by Titration.....	211
P63-23 Standard for Micronized Copper Quat Type D (MCQ-D).....	165	A28-14 (<i>Reaffirmed 2020</i>): Standard Method for Determination of Propiconazole and Tebuconazole in Waterborne Formulations and in Treating Solutions by HPLC	213
 Hydrocarbon Solvent Standards – Page 167		A30-24: Standard Method for the Determination of 4,5 Dichloro-2-N-Octyl-4-Isotiazolin-3-One (DCOI) in Wood and Solutions by High Performance Liquid Chromatography (HPLC).....	215
HSA-23: Standard for Hydrocarbon Solvent, Type A	167	A31-15 (<i>Reaffirmed 2021</i>): Standard Methods for the Analysis of Solutions and Wood for Azoles by Gas Chromatography (GC)	219
HSC-17 (<i>Reaffirmed 2023</i>): Standard for Hydrocarbon Solvent, Type C.....	168	A33-14 (<i>Reaffirmed 2020</i>): Standard Method for the Analysis of N-Cyclohexyldiazoniumdioxide (HDO) in Concentrates and Treating Solutions by Colorimetry.....	223
HSF-17 (<i>Reaffirmed 2023</i>): Standard for Hydrocarbon Solvent, Type F	169		
HSG-23: Standard for Hydrocarbon Solvent, Type G	170		
HSH-18 (<i>Reaffirmed 2024</i>): Standard for Hydrocarbon Solvent, Type H	171		
 Analysis Method Standards – Page 173			
A4-19: Standard Methods for Sampling Wood Preservatives	173		
A6-20: Standard Method for the Determination of Retention of Oil-Type Preservatives from Small Samples	177		

A34-14 (<i>Reaffirmed 2020</i>): Standard Method for the Analysis of N-Cyclohexyldiazoniumdioxide (HDO) in Wood Treated with HDO Containing Solutions by HPLC	225	A53-17 (<i>Reaffirmed 2023</i>): Standard Method for the Determination of the Amount of Xylene Insoluble Matter in Creosote and Creosote Solutions.....	272
A35-19: The Determination of the Propensity of a Ready-To-Use Oil-borne/Oil Type Wood Preservative Treating Solution to Form Stable Emulsions.....	227	A54-23: Alternate Standard Method for the Determination of the Amount of Xylene Insoluble Matter in Creosote and Creosote Solutions.....	274
A36-20: Standard for Determination of Quaternary Ammonium Compounds in Wood by Potentiometric Back-Titration Using Sodium Lauryl Sulfate and Hyamine 1622	229	A55-23: Standard Method for the Determination of the Specific Gravity of Oil-Type Preservatives	276
A37-23: Standard for Determination of Quaternary Ammonium Compounds and Polymeric Betaine in Wood and Wood Treating Solutions by Potentiometric Titration Using Sodium Tetraphenylborate	233	A57-17 (<i>Reaffirmed 2023</i>): Standard Method for the Determination of Water in Oil-Type Preservatives.....	277
A40-21: Standard Methods for Determination of Boron Trioxide in Treating Solutions and Treated Wood by Potentiometric Titration with Sodium Hydroxide.....	238	A59-23: Standard Method for the Determination of Ammonia in Ammoniacal Preservatives and Fire Retardant Formulations.....	279
A41-24: Standard Method for Determination of Naphthenic Acid in Copper Naphthenate in Wood and Treating Solutions by Gas Chromatography	241	A62-23: Standard Method to Determine the pH of Waterborne Wood Preservative Treating Solutions.....	280
A42-14 (<i>Reaffirmed 2020</i>): Standard Method for Determination of Technical Permethrin and Permethrin Isomers by HPLC Using UV Detection.....	245	A63-17 (<i>Reaffirmed 2023</i>): Standard Method to Determine the Valency State of the Arsenic Component of Arsenic Containing Solutions	281
A43-22: Standard Method for Analysis of Imidacloprid in Wood and Waterborne Formulations.....	248	A64-21: Standard Method to Determine the Amount of Boron Trioxide in Sodium Borate Wood Preservatives	282
A46-20: Standard Method for Determining MCS Stabilizer Concentration in EL2 Treatment Solution Samples by Turbidity Measurement.....	251	A65-21: Standard Method to Determine the Amount of Boron in Treated Wood Using Azomethine-H or Carminic Acid.....	284
A47-20: Standard Method for Determination of MCS Stabilizer Concentration in EL2 Treated Wood and Wood Treatment Solutions.....	253	A66-23: Standard Method for Determination of Chromium in Chromium Containing Preservatives	286
A48-23: Standard Method for Analysis of Propiconazole, Tebuconazole and Imidacloprid in Solutions and Treated Wood Products by High Performance Liquid Chromatography.....	256	A67-18 (<i>Reaffirmed 2024</i>): Standard Method for Determination of Carbonate in Ammoniacal Copper Zinc Arsenate.....	288
A49-21: Standard for Determination of Heartwood in Pines and Douglas-fir.....	259	A68-22: Standard Method for Determining Penetration of Boron-Containing Preservatives and Fire Retardants	290
A50-18 (<i>Reaffirmed 2024</i>): Standard Method for Determination of Percent Bound Acetyl and Free Acetic Acid in Acetylated Wood by High Performance Liquid Chromatography.....	261	A69-23: Standard Method to Determine the Penetration of Copper Containing Preservatives	291
A51-19: Standard Method for Determining Penetration of Protectant in Acetylated Wood	267	A70-18 (<i>Reaffirmed 2024</i>): Standard Method to Determine the Penetration of Pentachlorophenol Using a Silver-Copper Complex Known as Penta-Check	292
A52-17 (<i>Reaffirmed 2023</i>): Standard Method for the Distillation of Creosote and Creosote Solutions	268	A71-24: Standard Method to Determine the Penetration of Solvent Used with Oil-Soluble Preservatives	293
		A72-18 (<i>Reaffirmed 2024</i>): Standard Method to Determine the Penetration of Copper in Wood Using Rubeanic Acid.....	294
		A73-18 (<i>Reaffirmed 2024</i>): Standard Method to Determine the Penetration of Phosphorus Containing Fire Retardants	295

A74-18 (<i>Reaffirmed 2024</i>): Standard Method to Determine the Presence of Hexavalent Chromium (VI) in Wood Treated with Chromium Containing Preservatives	296
A75-18 (<i>Reaffirmed 2024</i>): Standard Method to Determine the Penetration of Pentachlorophenol in Poles by X-Ray Fluorescence	297
A76-14 (<i>Reaffirmed 2020</i>): Method for Determining Penetration of Copper-Containing Preservatives	298
A77-18 (<i>Reaffirmed 2024</i>): Beilstein Test for Determining Presence or Penetration of Pentachlorophenol (PCP) in Wood	299
A78-22: Standard Method to Determine the Penetration of Boron Containing Preservatives and Fire Retardants	300
A79-18 (<i>Reaffirmed 2024</i>): Standard Method for Determination of Total Acidity for Calculating Pentachlorophenol in Dry Chemical	301
A80-18 (<i>Reaffirmed 2024</i>): Standard Method for Determination of Alkali Insoluble Material in Pentachlorophenol.....	303
A81-18 (<i>Reaffirmed 2024</i>): Standard Method for Determination of the Freezing Point of Pentachlorophenol.....	304
A82-18 (<i>Reaffirmed 2024</i>): Standard Method for Determination of Pentachlorophenol Solvency.....	305
A83-18 (<i>Reaffirmed 2024</i>): Standard Method for Determination of Chloride for Calculating Pentachlorophenol in Solution or Wood	307
A85-19: Standard Method for Determining Conformance of Co-Solvent Used with Type A Hydrocarbon Solvents to Leaching Resistance (Pentachlorophenol)	315
A86-19: Standard Method to Determine the Conformance of Auxiliary Solvent (Co-Solvent) Used with Type C Hydrocarbon Solvent to Water Solubility Requirement	316
A87-18 (<i>Reaffirmed 2024</i>): Standard Method of Test for Emulsifiability of Type A Hydrocarbon Solvents and/or Auxiliary Solvents Used with Type A Hydrocarbon Solvents.....	317
A88-24: Standard Method for Determination of the Copper Content of Copper Soaps.....	318
A90-18 (<i>Reaffirmed 2024</i>): Standard Method for the Determination of 3-Iodo-2-Propynyl Butyl Carbamate (IPBC) in Treating Solutions	320
A91-24: Standard Method for Determination of Iodine and Chlorine in Wood Using Neutron Activation Analysis.....	322

A92-19: Standard Method for Determining Penetration Using a Fluorescent Dye or Pigment Penetration Surrogate.....	324
A93-23: Standard Method for using Color Machine Vision to Quantify the Extent of Penetration.....	325
A94-24: Standard Method for Determination of IPBC/PER in Solution and Wood Using HPLC and Solid-Phase Extraction.....	328
A95-22: Standard Method for Determination of Mold Inhibitors MIT/CMIT and OIT in Treating Solution by High Performance Liquid Chromatography.....	332
A96-24: Standard Methods for Detecting Copper Containing Preservatives in Treated Wood.....	335

Miscellaneous Standards – Page 339

M1-21: Standard for the Purchase of Treated Wood Products	339
M2-19: Standard for the Inspection of Preservative Treated Products for Industrial Use	343
M3-16 (<i>Reaffirmed 2022</i>): Standard for the Quality Control of Preservative Treated Products for Industrial Use.....	350
M4-23: Standard for the Handling, Storage, Field Fabrication and Field Treatment of Preservative-Treated Wood Products.....	353
M6-24: Brands Used on Preservative Treated Materials	355
M13-21: Guidelines for a Pole Maintenance Program.....	356
M19-17 (<i>Reaffirmed 2023</i>): Standard for Destination Inspections	366
M20-15 (<i>Reaffirmed 2021</i>): Guidelines for Minimizing Oil-Type Wood Preservative Migration.....	367
M21-16 (<i>Reaffirmed 2022</i>): Standard for Quality Control Inspection of Nonpressure Preservative Treated Millwork Products	369
M22-24: Standard for Third-Party Agency Evaluation of Inspection Data.....	371
M23-22: Third-Party Agency Assessment of Treating Plant Internal Quality Control (IQC)	374
M24-15 (<i>Reaffirmed 2021</i>): Standard for Quality Control Inspection of Nonpressure Preservative Treated Composite Wood Products	377
M25-23: Standard for Quality Control and Inspection of Preservative Treated Products for Residential and Commercial Use	379
M26-23: Guidelines for Fixation/Stabilization of Waterborne Preservatives in Poles.....	387

M27-20: Protective Barriers for Minimizing Preservative Migration from Piles, Poles and Timber Used in Aquatic Applications	390
---	-----

Evaluation Standards – Page 393

E1-23: Laboratory Methods for Evaluating the Termite Resistance of Wood-Based Materials: Choice and No-Choice Tests	393
E4-21: Standard Method of Testing the Efficacy of Water Repellent Formulations	402
E5-21: Standard Field Test for Evaluation of Wood Preservatives to be Used in Marine Applications (UC5A, UC5B, UC5C); Panel and Block Tests.....	404
E7-21: Standard Field Test for Evaluation of Wood Preservatives to be Used in Ground Contact (UC4A, UC4B, UC4C); Stake Test	408
E8-21: Standard Field Test for Evaluation of Wood Preservatives to be Used in Ground Contact (UC4A, UC4B, UC4C); Post Test	416
E9-21: Standard Field Test for Evaluation of Wood Preservatives to be Used Above Ground (UC3A and UC3B); L-Joint Test.....	420
E10-22: Laboratory Method for Evaluating the Decay Resistance of Wood-Based Materials Against Pure Basidiomycete Cultures: Soil/Block Test.....	425
E11-16 (<i>Reaffirmed 2022</i>): Standard Method for Accelerated Evaluation of Preservative Leaching.....	437
E12-20: Standard Method of Determining Corrosion of Metal in Contact with Treated Wood.....	440
E13-21: Standard Method to Determine if Lumber has been Pressure Treated with a Water Repellent.....	443
E14-22: Laboratory Method for Rapidly Evaluating the Decay Resistance of Wood-Based Materials in Ground Contact: Soil Bed Test	445
E15-23: Laboratory Method for Evaluating the Efficacy of Diffusible or Volatile Remedial Preservatives Against Pure Basidiomycete Cultures: Inoculated Block Test	450
E16-22: Standard Field Test for Evaluation of Wood Preservatives to be Used Above Ground (UC3B); Horizontal Lap-Joint Test.....	453
E17-15 (<i>Reaffirmed 2021</i>): Standard Method for Determining Corrosion Rates of Metals in Contact with Treating Solution.....	458
E18-24: Standard Field Test for Evaluation of Wood Preservatives to be Used Above Ground (UC3B); Ground Proximity Decay Test.....	460
E19-22: Standard Method for Determining Preservative Fixation of Inorganic Waterborne Wood Preservatives	466

E20-21: Standard Method for Determining the Depletion of Wood Preservatives in Soil Contact.....	468
E21-18 (<i>Reaffirmed 2024</i>): Standard Field Test for Evaluation of Wood Preservatives to be Used for Interior Applications (UC1 and UC2); Full-Size Commodity Termite Test.....	471
E22-22: Laboratory Method for Rapidly Evaluating the Decay Resistance of Wood-Based Materials Against Pure Basidiomycete Cultures Using Compression Strength: Soil/Wafer Test.....	476
E23-16 (<i>Reaffirmed 2022</i>): Laboratory Method for Rapidly Evaluating the Decay Resistance of Wood-Based Materials in Ground Contact Using Static Bending: Soil Jar Test.....	484
E24-21: Laboratory Method for Evaluating the Mold Resistance of Wood-Based Materials: Mold Chamber Test	488
E25-21: Standard Field Test for Evaluation of Wood Preservatives to be Used Above Ground (UC3B): Decking Test	493
E26-21: Standard Field Test for Evaluation of Wood Preservatives to be Used for Interior Applications (UC1 and UC2); Ground Proximity Termite Test	497
E27-15 (<i>Reaffirmed 2021</i>): Standard Field Test for Evaluation of Wood Preservatives to be Used Above Ground (UC3B); Accelerated Horizontal Lap Joint Test	504
E28-22: Standard Field Test for Serviceability of Decking.....	509
E29-21: Antisapstain Field Test Method for Green Lumber.....	512
E30-22: Standard Method for Evaluating Natural Decay Resistance of Woods Using Laboratory Decay Tests.....	516
E31-24: Standard Field Test for Evaluation of Field-Cut Preservatives to be Used in Ground Contact (UC4): Block Test.....	520
E32-24: Standard Field Test for Evaluation of Field-Cut Preservatives to be Used Above Ground (UC3B): Modified Post and Rail Test	522
E33-24: Standard Test Method of Evaluating Wood Preservatives Against Decay in Use Category 2 (UC2).....	525
E34-21: Standard Field Test for Evaluation of Wood Preservatives to be Used Out of Ground Contact: Horizontal Sandwich Method	528
E35-21: Standard Field Test for Evaluation of the Depletion of Wood Preservatives from Wood Used Above Ground; (UC3A and UC3B).....	531

Regulations – Page 535

AWPA Technical Committee Regulations.....	535
Annex 1 – Operating Procedures for Accredited Standards Committee O5	549

Guidance Documents – Page 557

GDA-17: Data Requirement Guidelines for Listing Wood Preservatives in the AWPB Standards	557
GDB-13: Guidelines for Evaluating New Fire Retardants for Consideration by AWPB	566
GDC-13: Protocol for Standardization of New Millwork Preservative Systems.....	570
GDD-13: Protocol for Standardization of New Wood Preservative Finishes.....	572
GDE-15: Recommended Method for Determining the Treatability of a Species for Inclusion in the AWPB Use Category System Commodity Specification for Sawn Material.....	575
GDF-21: Guidelines for Evaluating Composite Wood Products Preservative Treated Using Nonpressure Processes.....	577
GDG-13: Surface Applied Wood Preservative Finish Performance Testing Guidelines	582
GDH-13: Evaluating Preservatives for Remedial Treatment	585
GDI-24: Reaffirmation Requirement Guidelines	589
GDJ-13: Preservatives Review Board Procedures (suspended)	592
GDK-13: Data Requirement Guidelines for Solvents Used with Oil-Borne Preservatives	593
GDL-15: Data Requirement Guidelines for Listing Chemically Modified Wood with Enhanced Durability in the AWPB Standards	599

GDM-13: Data Requirement Guidelines for Evaluating Performance Enhancing Additives (PEA)	605
GDN-13: Data Requirements for Listing Thermally Modified Wood with Enhanced Durability in the AWPB Standards	607
GDO-19: Guidelines for AWPB Analytical Method Standards.....	613
GDP-19: Standard Practice for Determining Minimum Efficacy Thresholds for New UC4A Preservatives	618

Other Information – Page 623

Technical and Special Committees (March 2024)	623
Committee Membership Application.....	627
Publications List and Order Form.....	629
AWPB Membership Application.....	631
Factors 0: Unit Conversion Factors	635
Factors 1: Volume and Specific Gravity Conversion Tables for Creosote and Creosote Solution.....	636
Factors 2: Abridged Volume and Specific Gravity Correction Tables for Petroleum Oils and Oilborne Preservative Solutions.....	638
Factors 3: Volumes of Round Forest Products	642
Factors 4: Volume Correction Table for Creosote-Petroleum Solutions	656
Factors 5: Volume Correction Factors for Preservative Salt Solutions	657
Factors 6: Miscellaneous Conversion Factors and Correction Tables.....	658
Factors 7: Approximate Pole Weight Tables	660
Glossary of Terms Used in Wood Protection	668

Recently Withdrawn AWPB Standards

A58-17: Standard Method for Determining Conformance of Distillation Fractions of Creosote or Creosote Solution to Specific Gravity Requirements

A60-17: Standard Method for the Determination of Arsenic in Arsenic Containing Preservatives

A61-17: Standard Method for the Determination of Copper in Copper Containing Preservatives

A20-17: Standard Method for Chlorothalonil Assay

A1-15: Standard Methods for Analysis of Creosote and Oil-Type Preservatives

A2-15: Standard Methods for Analysis of Waterborne Preservatives and Fire Retardant Formulations

A3-15: Standard Methods for Determining Penetration of Preservatives and Fire Retardants

A5-15: Standard Methods for Analysis of Oil-Borne Preservatives

A20-17: Standard Method for Chlorothalonil Assay

A58-17: Standard Method for Determining Conformance of Distillation Fractions of Creosote or Creosote Solution to Specific Gravity Requirements

A60-17: Standard Method for the Determination of Arsenic in Arsenic Containing Preservatives

A61-17: Standard Method for the Determination of Copper in Copper Containing Preservatives

P8-14: Standard for Oil-Borne Preservatives

P18-14: Nonpressure Preservatives

P33-18: Standard for Copper HDO Type A (CX-A)